

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

MiCOM Labs
575 Boulder Court
Pleasanton, CA 94566

Date of Grant: 01/15/2018

Application Dated: 01/12/2018

Mikrotikls SIA
Pernavas 46
Riga, LV-1009
Latvia

Attention: Edmunds Zvegincevs , engineer, R&D

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
 VALID ONLY for the equipment identified hereon for use under the Commission's Rules
 and Regulations listed below.

FCC IDENTIFIER: TV7RBD52-5ACD2ND
Name of Grantee: Mikrotikls SIA
Equipment Class: Digital Transmission System
Notes: hAP ac2

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
20 CC MO	15C	2412.0 - 2462.0	0.252		

Output power listed is maximum combined conducted power. Device is a 2x2 MIMO as is described in the filing. This device contains 20 and 40 MHz signal bandwidth. The antennas used with this transmitter must be installed to provide a minimum separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users must be provided with operating procedures for satisfying RF exposure compliance.

20: All electrical and mechanical devices employed for spurious radiation suppression, including any modifications made during certification testing, must be incorporated in each unit marketed.

CC: This device is certified pursuant to two different Part 15 rules sections.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.