

Installation Guide

Unmanaged Rackmount Switch

CONTENTS


English.....	01
Български.....	04
Čeština.....	07
Қазақша.....	10
Lietuvių.....	13
Magyar.....	16
Polski.....	19
Русский язык.....	22
Română.....	25
Slovenčina.....	28
Srpski jezik.....	31
Українська мова.....	34

Installation

- Desktop Installation

To install the device on the desktop, please follow the steps below:


1. Set the device on a flat surface strong enough to support the entire weight of the device with all fittings.
2. Remove the adhesive backing papers from the rubber feet.
3. Turnover the device and attach the supplied rubber feet to the recessed areas on the bottom at each corner of the device.




- Rack Installation

To install the device in a rack, follow the instructions described below:

1. Check the grounding and stability of the rack.
2. Secure the supplied rack-mounting brackets to each side of the device with supplied screws.




3. After the brackets are attached to the device, use suitable screws (not provided) to secure the brackets to the rack.



Connection


- Ethernet Port

Connect an Ethernet port of the switch to the computer by RJ45 cable as the following figure shown.



- Power On

Plug the female connector of the provided power cord into the power socket of the device, and the male connector into a power outlet.




Инсталация

- Инсталация на бюро

За да инсталирате устройството на бюро, моля, следвайте стъпките, описани по-долу:


1. Поставете устройството на плоска повърхност, достатъчно здрава да издържи тежестта му заедно с крепежните елементи.
2. Махнете лепенките от гумените крачета.
3. Обърнете устройството и закрепете гумените крачета към вдлъбнатите места на дъното, във всеки ъгъл на корпуса на устройството.




- Инсталация в шкаф / стелаж

За да инсталирате устройството в съответния шкаф или стелаж, следвайте инструкциите, описани по-долу:

1. Проверете заземяването и стабилността на шкафа.
2. Завинтете доставените крепежни елементи / скоби на всяка страна от устройството с доставените винтове.




3. След като скобите са закрепени към устройството, използвайте подходящи винтове (не са доставени с комплекта), за да завинтите скобите към шкафа.



Свързване

- Ethernet порт

Свържете Ethernet порта на суича към компютъра чрез RJ45 кабел, както е показано на следващата фигура.



- Включване към захранването

Свържете конектора от доставения захранващ кабел в съответния извод за захранване на устройството, а щепселът - в контакт от електрическата мрежа.

