

行号	参数英文名称	填写值	填写值(对应区域语言值)
1	Product name	OPPO Pad SE, OPPO Pad SE Matte Display Edition	OPPO Pad SE
2	Model Name	OPD2420	OPD2420
3	R&D project code	24979	24979
5	Time to market	不涉及	N/A
6	Dimensions (material 1)	254.91×166.46×7.39 (毫米)	254.91×166.46×7.39 (mm)
7	Weight (material 1)	普通版约530 克 柔光版约527克	Standard Screen: about 530g Matte Screen: about 527g
8	Phone color	4+128: Starlight Silver、Twilight Blue 6+128: Starlight Silver、Twilight Blue 8+128: Twilight Blue	Starlight Silver、Twilight Blue
9	Screen structure	全面屏	full screen
10	Product Vectors	/	/
11	Chip platform model name	MT6789	MT6789
12	Chip platform market name	MediaTek 曦力G100	MediaTek Helio G100
13	Chip platform manufacturers	联发科	MediaTek
14	CPU frequency	最高主频 2.2GHz	Maximum main frequency2.2GHz
15	CPU architecture	2x Cortex-A76 2.2 GHz 6x Cortex-A55 2 GHz	2x Cortex-A76 2.2 GHz 6x Cortex-A55 2 GHz
16	CPU bits	64位	64bits
17	CPU cores	8核	8cores
18	CPU manufacturing process	6 nm	6 nm
19	GPU model	Arm Mali-G57 MC2	Arm Mali-G57 MC2
20	GPU manufacturing process	6 nm	6 nm
21	AI capabilities	无APU	NO APU
22	RAM frequency	LPDDR4x @ 2133MHz 4×16bit	LPDDR4x @ 2133MHz 4×16bit
23	Supplier	CSOT	CSOT

24	Refresh rate	60/90HZ	60/90HZ
25	Resolution	1920×1200 像素	1920*1200 pixels
26	Pixels per inch (PPI)	207 PPI	207 PPI
27	Rheinland Total Eye Care Certification	不支持	Unsupported
28	Game Adaptation Refresh Frequency	无90/120hz游戏适配	90/120
29	Diagonal dimension	11 英寸	11 inches
30	Screen-to-body ratio	85.3%	85.3%
31	Aspect ratio	16:10	16:10
32	Top bezel	7.9 毫米	7.9 mm
33	Bottom bezel	7.9 毫米	7.9 mm
34	Left and right bezels	7.9 毫米	7.9 mm
35	Color saturation	70.8% NTSC	70.8% NTSC
36	Screen Colors	10亿色 (8+2) bit	Billion color (8+2) bit
37	Brightness	全局默认最高亮度:500nit典型值	Global Default Maximum Brightness: 500 nits (typical value)
38	Contrast ratio	静态对比度最高1500:1(典型值)	Maximum Static contrast ratio: 1500:1(Typical))
39	Color gamut	生动模式98% sRGB	vivid mode 98%
40	HDR (High Dynamic Range Imaging)	不支持	Unsupported
41	Touch points	10 点	10 Points
42	Touch sampling rate	最高 180 Hz,默认180 Hz	Maximum 180 Hz,Default180 Hz
43	Eye comfort	支持	Supported
44	Dark mode	支持	Supported
45	Low flicker eye protection function in low light	不支持	Unsupported
46	Dimming mode	DC调光	DC dimming
47	Sunlight screen support	不支持	Unsupported
48	Oleophobic coating on screen	支持	Supported
49	Screen protector type	无	Excluded

50	Oleophobic coating on protector film from manufacturer	不支持	Unsupported
51	Screen selling point function	护眼模式, 舒眠模式, 屏幕刷新率切换, , 暗色模式, 屏幕色彩模式, 自动亮度调节, 手动亮度调节	Eye protection mode Eye-soothing mode Screen refresh rate switch Dark mode Screen color mode Automatic brightness control Manual brightness control
52	RAM capacities	4GB (RAM) +128GB (ROM) 6GB (RAM) +128GB (ROM) 8GB (RAM) +128GB (ROM)	4GB (RAM) +128GB (ROM) 6GB (RAM) +128GB (ROM) 8GB (RAM) +128GB (ROM)
53	ROM specifications	UFS2.2	UFS2.2
54	Memory Card Expansion	不支持	Unsupported
55	RAM specifications	LPDDR4x @ 2133MHz 4×16bi	LPDDR4x @ 2133MHz 4×16bi
56	RAM channels	4	4
57	RAM expansion	支持3档调节 8GB+4/6/8GB 6GB+2/4/6GB 4GB+1/2/4GB	Support 3 levels of adjustment 8GB+4/6/8GB 6GB+2/4/6GB 4GB+1/2/4GB
58	Supported Expansion Card Specifications	不支持	Unsupported
59	Moving the program to the memory card	支持	Supported
60	Factory default available storage	128 GB 平板约 103.8 GB 可用 256 GB 平板约 229.1 GB 可用 实际情况与 OTA 升级和软件安装情况有一定变化	128 GB tablet approximately 103.8 GB available 256 GB Tablet Approximately 229.1 GB available
61	OTG data transmission	支持	Supported
62	OTG storage format	FAT32, NTFS, EXFAT	FAT32,NTFS,EXFAT

63	Maximum OTG storage supported	2TB	2TB
64	Front Sensor ratio	4:3	4:3
65	Front Sensor pixel size	1.12 μm	1.12 μm
66	Front Sensor type	CMOS	CMOS
67	Front Sensor size	1/5"	1/5"
68	Front Number of pixels	5M	5M
69	Front Sensor model	SC520CS	SC520CS
70	Front Field of view	77°	77°
71	Front Equivalent focal length	26 毫米	26mm
72	Aperture	f/2.2	f/2.2
73	Front Lens structure	3P	3P
74	Effective focal length	2.24 毫米	2.24mm
75	Front Electronic image stabilization	不支持	Unsupported
76	Front Focus mode	固定对焦	Fixed focus
77	Optical zoom	不支持变焦	Unsupported
78	Front Optical image stabilization	不支持	Unsupported
79	Front Auto focus	支持	Supported
80	Soft light	不支持	Unsupported
81	Front Shooting mode	照片,视频,延时摄影,萌拍,美颜自拍,屏幕补光,全景	Photo,Video,TIME-LAPSE,STICKER,Retouch,Screen Fill Light,Panorama
82	Front Shooting method	触屏拍摄,音量键拍摄,手势拍摄	Touch the screen to take photos,Press the Volume button to take photos,Use gestures to take photos
83	Front Video taking mode	支持: 1080P 30fps(默认开启美颜),720P 30fps	Supported: Default 1080P 30fps(with Retouch on),720P 30fps
84	Front Video format	视频文件格式: MP4,视频编码格式: 高效H.265(默认)	Video format: MP4,Video coding formats: H.265 (default,Efficient)

85	Photo size (front camera)	普通照片模式: 2592x1944(4: 3) 1944x1944(1: 1) 2592x1620(全屏) 2592x1458(16: 9)	normal 2592x1944(4: 3) 1944x1944(1: 1) 2592x1620(full screen) 2592x1458(16: 9)
86	Front Image format	JPG(默认)	JPG(default)
87	Material of Front Camera Screen protector	Panda-MN228	Panda-MN228
88	Front Camera Screen structure	传统边框	Traditional bezel
89	Rear-Sensor Ratio	4:3	4:3
90	Rear - Sensor Single Pixel Size	1.12 μm	1.12 μm
91	Rear - Sensor Type	CMOS	CMOS
92	Rear - Sensor Area	1/5"	1/5"
93	Rear - Number of Sensor Pixels	5M	5M
94	Rear - Sensor Model	SC520CS	SC520CS
95	Rear - FOV	76°	76°
96	Rear - Equivalent Focal Length	26.7 mm	26.7 mm
97	Rear - Aperture	f/2.2	f/2.2
98	Rear - Lens Structure	3P	3P
99	Rear - Effective Focal Length	2.25 mm	2.25 mm
100	Rear - Electronic Image Stabilization (EIS)	不支持	Unsupported
101	Rear - Focus Method	反差对焦,固定对焦	Contrast detection autofocus,Fixed focus
102	Zoom mode	不支持	Unsupported
103	Rear - Optical Image Stabilization (OIS)	不支持	Unsupported
104	Rear - Auto Focus (AF)	支持	Supported
105	Flash light	不涉及	N/A
106	Rear Shooting mode	照片,视频,延时摄影,萌拍,全景	Photo,Video,TIME-LAPSE,STICKER,Panorama

107	Rear Shooting method	触屏拍摄,音量键拍摄,手势拍摄	Touch the screen to take photos,Press the Volume button to take photos,Use gestures to take photos
108	Rear Video taking mode	支持: 1080P 30fps,720P 30fps	Supported: 1080P 30fps,720P 30fps
109	Rear Video format	视频文件格式: MP4,视频编码格式: 高效H.265(默认)	Video format: MP4,Video coding formats: H.265 (default,Efficient)
110	Photo size (rear camera)	普通照片模式: 2592x1944(4: 3) 1944x1944(1: 1) 2592x1620(全屏) 2592x1458(16: 9)	normal 2592x1944(4: 3) 1944x1944(1: 1) 2592x1620(full screen) 2592x1458(16: 9)
111	Rear Image format	JPG(默认)	JPG(default)
112	Camera parameters	前置: 5MP, 后置: 5MP	Front camera: 5MP, Rear camera: 5MP
113	Live photos	前后置均不支持	Both front and rear are not supported
114	Middle frame material	PC30GF	PC30GF
115	Material of rear cover	AL5252	AL5252
116	Rear camera protective glass material	Rainbow CG21	Rainbow CG21
117	Material of screen protection glass	熊猫MN228一强	panda MN228 a strong glass
118	Touch screen type	电容屏	Capacitive screen
119	Lamination method of touch screen	In-cell	In-cell
120	Process for rear cover	铝合金冲压+打磨+喷砂+阳极+镭雕	stamping + Grinding + Sandblasting + Anodizing + Laser engraving
121	Oleophobic coating on rear cover	无	Excluded
122	Heat dissipation mechanism	石墨+导热凝胶	Graphite+thermal conductive gel
123	Packaging process	COG	COG

124	Battery model	BLT015聚合物锂离子电池 (非欧) BLT016聚合物锂离子电池 (欧洲)	BLT015 lithium-ion polymer battery(Non Europ) BLT016 lithium-ion polymer battery(Europ)e)
125	Battery capacity (mAh)	3.86V 9098mAh/35.12Wh(Rated) 9340mAh/36.06 Wh (Typ)	3.86V 9098mAh/35.12Wh(Rated) 9340mAh/36.06 Wh (Typ)
126	Battery Energy Density	666 Wh/L(最小能量密度), 677 Wh/L(平均能量密度)	666 Wh/L (minimum energy density), 677 Wh/L (average energy density)
127	Maximum audio playback time (through earphones)	85 小时	85 hours
128	Maximum call time	不涉及	N/A
129	Maximum video playback time	11.3 小时	11.3 hours
130	Maximum standby time	1296 小时	1296 hours
131	Theoretical shortening of video time	12.2 小时	12.2 hours
132	Theoretical game time	不涉及	N/A
133	VOOC Charge	支持	Supported
134	Fast charging	SVOOC 33W; PPS 33W qc (9V,2A) , pd(9V,2A),	SVOOC 33W; PPS 33W qc (9V,2A) , pd(9V,2A),
135	UFCS Converged Fast Charging Protocol	33W	33W
136	Wireless charging	不支持	Unsupported
137	reverse charge	支持OTG反向充电	Support OTG reverse charging
138	Standard charger power	15W	15W

139	Standard charger model	欧规: OP53JAEH 欧规: OP53CBEH 土耳其: OP53JAEH 土耳其: OP53CBEH 英规: OP53JAYH 英规: OP53CBYH 美规: OP53JAUH 印度规: OP53AAIN	Europe: OP53JAEH Europe: OP53CBEH Turkey: OP53JAEH Turkey: OP53CBEH Britain: OP53JAYH Britain: OP53CBYH America: OP53JAUH India: OP53AAIN
140	1-100% charging time	约 185 分钟	About 185minutes
141	Temperature range for flash charging	16°C—43°C	16°C—43°C
142	Face recognition	支持	Supported
143	Fingerprint recognition	不支持	Unsupported
144	Fingerprint unlock time	不支持锁指纹解	Does not support fingerprint unlocking
145	Face unlock time	息屏解锁时间: 400毫秒 亮屏解锁时间: 300毫秒	Screen off unlock time: 400ms Screen on unlock time: 300ms
146	Fingerprint payment	支付宝: 不支持 微信: 不支持	Alipay: Unsupported WeChat: Unsupported
147	Face recognition payment	支付宝: 支持 微信: 不支持	Alipay: Supported WeChat: Unsupported
148	eSIM Carrier Support	不支持	Unsupported
149	Material of SIM card tray	金属+塑胶	Metal+Plastic
150	Type of SIM card tray	单卡槽, 支持单SIM电话卡	Single card tray, supports single SIM card.
151	SIM Card type& size	Nano-SIM卡, Nano-USIM卡	Nano-SIM card, Nano-USIM card
153	Single or dual SIM (for Carriers)	不涉及	N/A
154	VoLTE	支持	Supported
155	Carriers that support VoLTE	取决于运营商的支持情况	It depends on the operator's support
156	LTE antennas and radio frequency technology	2×2 MIMO	2×2 MIMO

157	5G network mode (dual mode)	不涉及	N/A
158	Link boost-communicate	高铁模式, 电梯模式: 不支持 SLA多态网络加速: 不支持	unSupported
159	Network mode	CDMA/CDMA2000/TD-SCDMA不支持; GSM/WCDMA/TD-LTE/LTE-FDD支持	CDMA/CDMA2000/TD-SCDMA not support; GSM/WCDMA/TD-LTE/LTE-FDD support
160	Data service	TD-SCDMA/CDMA2000/EVDO不支持	TD-SCDMA/CDMA2000/EVDO Unsupported
161	Network band	GSM: 850/900/1800/1900MHz WCDMA: Bands 1/5/8 FDD-LTE: Bands 1/3/5/7/8/20/28 TD-LTE: Bands 38/40/41	GSM: 850/900/1800/1900MHz WCDMA: Bands 1/5/8 FDD-LTE: Bands 1/3/5/7/8/20/28 TD-LTE: Bands 38/40/41
162	Frequency bands supported	无	null
163	Dual SIM	不支持	Unsupported
164	IPv6	支持	Supported
165	5G network	不涉及	N/A
166	4G+ network	不支持4G+	Unsupport 4G+
167	4G network	支持4G	Support 4G
168	3G network	支持3G	Support 3G
169	2G network	支持2G	Support 2G
170	Satellite call	不涉及	N/A
171	5G uplink/downlink rate	不支持	Unsupported
172	4G uplink/downlink rate	UL 75Mbps DL 390Mbps	UL 75Mbps DL 390Mbps
173	HD Voice	完整支持HD通话	Full support for HD calling
174	LTE Cat	UL cat15 75Mbps DL cat13 390Mbps	UL cat15 75Mbps DL cat13 390Mbps
175	Dual 5G display	不涉及	N/A
176	Dual carrier aggregation	不支持	Unsupported
177	NFC functions	不支持	Unsupported
178	Bank cards	不支持	Unsupported

179	Transit cards	不支持	Unsupported
180	eID	不支持	Unsupported
181	Access cards	不支持	Unsupported
182	Personal Hotspot/WLAN Hotspot	支持	Supported
183	Wi-Fi (Antenna)	支持 Wi-Fi 5(802.11 ac),支持 802.11 a/b/g/n,支持 Wi-Fi Display,支持WLAN 网络分享,支持WIFI 2.4G,支持WIFI 5.1G,支持WIFI 5.4G,支持WIFI 5.8G,支持Wi-Fi 2.4 GHz 20M,支持Wi-Fi 2.4 GHz 40M,支持Wi-Fi 5 GHz 20M,支持Wi-Fi 5 GHz 40M,支持Wi-Fi 5 GHz 80M	Supports Wi-Fi 5(802.11 ac),Supports 802.11 a/b/g/n,Supports Wi-Fi Display,Supports WLAN network sharing,Supports WIFI 2.4G,Supports WIFI 5.1G,Supports WIFI 5.4G,Supports WIFI 5.8G,Supports Wi-Fi 2.4 GHz 20M,Supports Wi-Fi 2.4 GHz 40M,Supports Wi-Fi 5 GHz 20M,Supports Wi-Fi 5 GHz 40M,Supports Wi-Fi 5 GHz 80M
184	WLAN protocol	802.11a/b/g/n/ac	802.11a/b/g/n/ac
185	Wi-Fi frequency	2.4GHz 5.1GHz 5.8GHz	2.4GHz 5.1GHz 5.8GHz
186	WLAN Display	支持	Supported
187	Maximum number of devices that can be connected to a hotspot	10	10
188	Theoretical WiFi Rate	433 Mbps	433 Mbps
189	Wi-Fi antenna	支持 1x1 SISO,支持 WiFi 2.4G,支持 WiFi 5G	1x1 SISO support, WiFi 2.4G support, WiFi 5G support
190	Bluetooth version	蓝牙5.4, 低功耗蓝牙	Bluetooth 5.4, Low Energy, BLE Audio
191	Bluetooth audio specifications	支持SBC, AAC, aptx, aptX HD, LDAC	Supports SBC, AAC, aptx, aptX HD, LDAC
192	Supported Bluetooth protocols	HFP HSP A2DP AVRCP HID PAN OPP MAP PBAP GATT	HFP HSP A2DP AVRCP HID PAN OPP MAP PBAP GATT
193	Share network via Bluetooth	支持	Supported

194	Satellite positioning	单频支持: 北斗,GPS,GLONASS,Galileo,QZSS	Single band: Beidou,GPS,GLONASS,Galileo,QZSS
195	Dual Frequency Dual Antenna Positioning	支持GPS L1	Supported GPS L1
196	Dual-frequency GPS	支持GPS L1	Supported GPS L1
197	Sensor type	环境光传感器,加速度传感器,电子罗盘	Ambient light sensor,Accelerometer,E-compass
198	IRED blaster	不涉及	N/A
199	Sound effects	OReality Audio	OReality Audio
200	Hi-Fi	不支持	Unsupported
201	Audio Certification Standards	Hi-Res,Hi-Res wireless	Hi-Res,Hi-Res wireless
202	Video format	3GP,MP4,MKV,AVI,MOV,FLV, WEBM,TS,M2TS,ASF	3GP,MP4,MKV,AVI,MOV,FLV, WEBM,TS,M2TS,ASF
203	Audio format	MP3,AAC,APE,AMR,MIDI,OGG,FLAC,WAV,WMA	MP3,AAC,APE,AMR,MIDI,OGG,FLAC,WAV,WMA
204	Support for browsing file formats	DOC、XLS、PPT、PDF、TXT	DOC、XLS、PPT、PDF、TXT
205	Image format	JPEG,PNG,GIF,BMP	JPEG,PNG,GIF,BMP
206	Number of speakers	4个: 1217扬声器 屏幕左右两侧各2pcs 1217扬声器	4: 1217 speakers 2pcs 1217 speakers on each side of the screen
207	Number of microphones	2个	2
208	Noise cancellation	2mic 降噪	Dual mic noise cancellation
209	Audio jack	Type-C 接口耳机(支持 Type-C 数字耳机&Type-C模拟耳机)	Type-C headphones, supported Type-C digital headphones & Type-C analog headphones
210	Data port	USB Type-C	USB Type-C
211	Transfer protocol (USB)	USB 2.0 Type-C	USB 2.0 Type-C
212	Pins (USB)	16 Pin	16 Pin
213	Vibration motor	无	Excluded
214	Waterproof IP rating	IPX2	IPX2
215	Audio decoder chip	MT6366	MT6366

216	TF card expansion	不支持	Unsupported
217	Bottom openings in order from left to right are	无	Excluded
218	The top openings in order from left to right are	Volume key, 主mic	Volume key, main mic
219	Heat dissipation area	16649.83 mm ²	16649.83 mm ²
220	App lock	支持	Supported
221	Resetting password using fingerprint	不支持	Unsupported
222	Split screen mode	支持	Supported
223	Kid Space (Guest mode)	支持	Supported
224	World clock	支持	Supported
225	Wired projection screen	不支持	Unsupported
226	Always-On Display	不支持	Unsupported
227	Screen recording	支持	Supported
228	OPPO Share	不支持	Unsupported
229	Step counting	支持	Supported
230	Dual Wi-Fi	不支持	Unsupported
231	Voice wake-up	支持亮屏语音唤醒	Support screen on voice wake-up
232	Gestures & motions	三指截屏,双指分屏,四指抓合	3-finger screenshot,two-finger split-screen,four-finger grip
233	Image editing function	裁剪旋转,调节,滤镜,标记,文字,水印,马赛克,美颜,AI调色,AI修复,贴纸,消除笔,虚化,自动增强,涂鸦	Crop & rotate,Adjust,Filter,Markup,Text,Watermark,Pixelate,Retouch,AI Palettes,AI Restore,Stickers,Remover,Blur,Auto-enhance,Graffiti
234	Firewall/Block & filter	支持	Supported
235	Data backup and restore	支持	Supported
236	App cloner	支持	Supported
237	Compass	不支持	Unsupported
238	App lock method	数字密码,数字加字母加密,图案密码,人脸密码	Numeric,Alphanumeric password,Pattern,Face

239	Email	支持	Supported
240	Office tools	支持- 内置WPS文档查看器, 可装三方办公 工具	Support - Built-in WPS document viewer, can be loaded with three- party office tools
241	Third-party input method	支持	Supported
242	Whether simplified OS version	是	YES
243	Flashlight	不支持	Unsupported
244	Hall induction	不支持	Unsupported
245	Cross-screen interconnection	支持	Supported
246	Game voice changer	不支持	Unsupported
247	Game acceleration (Mainstream apps)	不支持	Unsupported
248	Game Space	不支持	Supported
249	Games assistant	不支持	Unsupported
250	Mini window mode/Playing videos in floating window	支持	Supported
251	Recently deleted (Album recycle bin)	支持	Supported
252	Pre-installed radio	不支持	Unsupported
253	System separation	不支持	Unsupported
254	Pad casting	支持	Supported
255	OSIE visual effect	不支持	Unsupported
256	Video editing options	剪辑,裁剪,旋转,主题,滤镜,配乐,特效, 倍速,文本,水印	Edit,Crop & rotate,Theme,Filter,Soundtrack,Eff ects,Speed,Text,Watermark
257	Incoming call banner	支持	Supported
258	Google Lens	支持	Supported
259	Ending calls with Power button	支持	Supported
260	Widevine encrypted video	支持L1和L3	L1 and L3

261	Game support	Mobile Legends: Bang Bang: 最高画质极致, 最高帧率60 Free Fire: 最高画质超高, 最高帧率60	Mobile Legends: Bang Bang: Ultra quality, 60 FPS Free Fire: Ultra quality, 60 FPS
262	File compression and extraction	支持	Supported
263	Private Safe (file lock)	支持	Supported
264	Format of audio recordings	MP3,AAC,WAV	MP3,AAC,WAV
265	Ringtone format	MP3,AMR,APE,OGG,FLAC,WAV,MIDI,WMA	MP3,AMR,APE,OGG,FLAC,WAV,MIDI,WMA
266	System file format	f2fs,erofs,ext4,overlay,fuse	f2fs,erofs,ext4,overlay,fuse
267	Weather widget	不支持	Unsupported
268	Clock widget	支持	Supported
269	Music widget	不支持	Unsupported
270	Third-party app widget	支持	Supported
271	Default system version	ColorOS 15.0.1	ColorOS 15.0.1
272	Default Android version	Android 15	Android 15
273	OPPO Apps that can not be uninstalled	媒体播放器,账号中心,安全支付,云服务,系统消息(PUSH)	Videogallery,HeyTapAccount,Pay,Cloud service,PUSH
274	OPPO Apps that can be uninstalled	NA	NA
275	Pre-installed Apps that can not be uninstalled-third-party	NA	NA

276	Pre-installed Apps that can be uninstalled-third-party	ES: WPS, Netflix PT: WPS, Netflix FR: WPS, Netflix GB: WPS, Netflix IE: WPS, Netflix AT: WPS, Netflix AU: WPS, Netflix NZ: WPS, Netflix IT: WPS, Netflix PL: WPS, Netflix RO: WPS, Netflix MD: WPS, Netflix BG: WPS, Netflix UA: WPS, Netflix SK: WPS, Netflix CZ: WPS, Netflix GR: WPS, Netflix HR: WPS, Netflix RS: WPS, Netflix BA: WPS, Netflix NL: WPS, Netflix BE: WPS, Netflix LU: WPS, Netflix DE: WPS, Netflix PK: WPS, Netflix BD: WPS, Netflix MM: WPS, Netflix NP: WPS, Netflix LK: WPS, Netflix RU: VK- Rustore, YandexApp_with_Alice , YandexBrowser_new, WPS KZ: WPS, Netflix UZ: WPS, Netflix	ES: WPS, Netflix PT: WPS, Netflix FR: WPS, Netflix GB: WPS, Netflix IE: WPS, Netflix AT: WPS, Netflix AU: WPS, Netflix NZ: WPS, Netflix IT: WPS, Netflix PL: WPS, Netflix RO: WPS, Netflix MD: WPS, Netflix BG: WPS, Netflix UA: WPS, Netflix SK: WPS, Netflix CZ: WPS, Netflix GR: WPS, Netflix HR: WPS, Netflix RS: WPS, Netflix BA: WPS, Netflix NL: WPS, Netflix BE: WPS, Netflix LU: WPS, Netflix DE: WPS, Netflix PK: WPS, Netflix BD: WPS, Netflix MM: WPS, Netflix NP: WPS, Netflix LK: WPS, Netflix RU: VK- Rustore, YandexApp_with_Alice , YandexBrowser_new, WPS KZ: WPS, Netflix UZ: WPS, Netflix
277	Pre-installed third-party apps-apps	Gboard	Gboard
278	Pre-installed third-party apps-internet	不支持	Unsupported

279	Pre-installed third-party apps-third-party	ES: WPS, Netflix PT: WPS, Netflix FR: WPS, Netflix GB: WPS, Netflix IE: WPS, Netflix AT: WPS, Netflix AU: WPS, Netflix NZ: WPS, Netflix IT: WPS, Netflix PL: WPS, Netflix RO: WPS, Netflix MD: WPS, Netflix BG: WPS, Netflix UA: WPS, Netflix SK: WPS, Netflix CZ: WPS, Netflix GR: WPS, Netflix HR: WPS, Netflix RS: WPS, Netflix BA: WPS, Netflix NL: WPS, Netflix BE: WPS, Netflix LU: WPS, Netflix DE: WPS, Netflix PK: WPS, Netflix BD: WPS, Netflix MM: WPS, Netflix NP: WPS, Netflix LK: WPS, Netflix RU: VK- Rustore, YandexApp_with_Alice , YandexBrowser_new, WPS KZ: WPS, Netflix UZ: WPS, Netflix	ES: WPS, Netflix PT: WPS, Netflix FR: WPS, Netflix GB: WPS, Netflix IE: WPS, Netflix AT: WPS, Netflix AU: WPS, Netflix NZ: WPS, Netflix IT: WPS, Netflix PL: WPS, Netflix RO: WPS, Netflix MD: WPS, Netflix BG: WPS, Netflix UA: WPS, Netflix SK: WPS, Netflix CZ: WPS, Netflix GR: WPS, Netflix HR: WPS, Netflix RS: WPS, Netflix BA: WPS, Netflix NL: WPS, Netflix BE: WPS, Netflix LU: WPS, Netflix DE: WPS, Netflix PK: WPS, Netflix BD: WPS, Netflix MM: WPS, Netflix NP: WPS, Netflix LK: WPS, Netflix RU: VK- Rustore, YandexApp_with_Alice , YandexBrowser_new, WPS KZ: WPS, Netflix UZ: WPS, Netflix
280	OS apps-internet	媒体播放器,账号中心,安全支付,云服务,系统消息(PUSH)	Videogallery,HeyTapAccount,Pay,Cloud service,PUSH

281	OS apps-apps	平板搬家、谷歌信息、时钟、谷歌日历、通讯录、文件管理、相册、便签、录音、计算器、天气、信息、平板管家	Clone Tablet,Messages,Clock,Calendar,Contacts,My Files,Notes,Recorder,Calculator,Weather,Messages,Table Manager
282	SIM card contacts import and export	跟随谷歌拨号盘 OPPO拨号盘支持	Follow Google Dial OPPO dial support
283	Contact file format	谷歌拨号盘 vcard OPPO拨号盘 vcard csv	Google Dial vcard OPPO dial vcard csv
284	Contacts grouping	支持	Supported
285	Customized grouping	支持	Supported
286	Display background for incoming calls	跟随谷歌拨号盘 不支持 OPPO拨号盘支持	Follow Google Dial not supported OPPO dial support
287	Display caller's profile picture	支持	Supported
288	Maximum number of contacts that can be saved	根据手机存储空间大小来定	Depending on the size of phone storage
289	Maximum capacity of Contact blocklist	根据手机存储空间大小来定	Depending on the size of phone storage
290	Single pass/double pass	单卡单待单通	Single card, single standby, single pass
291	Answering phone calls using earphones	支持	Supported
292	Video Call	支持	Supported
293	Maximum number of call logs	3000	3000
294	Voice call solution	有开通VoLTE情况下为VoLTE，没有开通的情况下是CSFB（或SVLTE，SRLTE） If VoLTE is activated, it is VoLTE, If VoNR is not activated, it is CSFB (or SVLTE, SRLTE)	Supported
295	Quick dial	谷歌拨号盘不支持 OPPO拨号盘支持	Google Dial not supported OPPO dial support

296	Call recording	跟随谷歌拨号盘 OPPO拨号盘 支持	Follow Google Dial OPPO dial support
297	Storage location for call recordings	谷歌拨号盘: File Manager - Device Storage - Music - Recordings OPPO拨号盘: 文件管理-设备存储- Music-Recordings-Call Recordings	Google Dial: File Manager - Device Storage - Music - Recordings OPPO dial pad: File Management - Device Storage - Music- Recordings-Call Recordings
298	Call recording format	谷歌拨号盘 WAV OPPO拨号盘 MP3	Google Dial WAV OPPO dial pad MP3
299	Automatic call recording	跟随谷歌拨号盘 OPPO拨号盘支持	Follow Google Dial OPPO dial support
300	Number of MMS messages that can be stored	根据手机存储空间大小来定	Depending on the size of phone storage
301	Capacity for one MMS message	谷歌信息: 跟随谷歌信息 OPPO信息: 300K	Google Info: Follow Google Info OPPO information: 300K
302	Timed messages	谷歌信息: 跟随谷歌信息 OPPO信息: 不支持	Google Info: Follow Google Info OPPO Info: Not supported
303	Messages import and export	不支持	Unsupported
304	Maximum capacity of Message blocklist	根据手机存储空间大小来定	Depending on the size of phone storage
305	Maximum number of recipients for group SMS messages	谷歌信息: 跟随谷歌信息 OPPO信息: 200	Google Info: Follow Google Info OPPO information: 200
306	SMS capacity	根据手机存储空间大小来定	Depending on the size of phone storage
307	SMS character limit	谷歌信息: 跟随谷歌信息 OPPO信息: 1530个英文字符	Google Info: Follow Google Info OPPO information: 1530 English characters

308	Package contents	数据线×1,取卡针×1,快速入门指南×1,安全指南×1,充电器×1,保修卡×1,整机×1 备注: 部分国家没有适配器, 具体区域找项目经理确认	1 USB data cable,1 SIM Ejector Tool,1 Quick Guide,1 Safety Guide,1 Charger,1 Warranty card Note: Some countries do not have adapters. Please confirm specific regions with the project manager.
309	Screen protector	无	Excluded
310	USB cable length and color	1m 白色	1meter white
311	Whether included Plastic film sealing	①欧洲和印度 不塑封 ②其他区域和国家塑封	① Europe and India: Do not shrink wrap ② Other regions and countries: Shrink wrap
313	Headset push-to-talk	支持	Supported
314	Headphones to control volume	支持	Supported
315	headphone song cutting	支持	Supported
316	Headset wake-up voice assistant	支持	Supported
317	Operating temperature	0°C至35°C(32°F至95°F)	0°C to35°C(32°F to95°F)
318	Storage temperature	-20°C至45°C(-4°F至113°F)	-20°C to45°C(-4°F to113°F)
319	Relative humidity	5%至95%(非凝结状态下)	5% to95%(non-condensing)
320	Operating altitude	目前测试最高可达3000米(10000英尺)	Up to 3000meters(10000feet) according to testing data
321	Phone Style	直板	Pad
322	Screen form	直面屏	Straight screen
323	Warranty period	不涉及	N/A
324	Number of cameras	双摄像头(前—后—)	Dual cameras (front and back)
325	Phone size with package	265.5×177×50.5(毫米)	265.5×177×50.5(mm)
326	Phone weight with package	欧洲版: 0.878千克 亚太版: 0.852千克	European version: 0.878kg Asia version: 0.852kg
327	Minimum and maximum charging power on the Pad	10 W-33 W	10 W-33 W

328	Display features	莱茵（低蓝光护眼），无频闪，无反射，类纸	Rhein eye protection strobo-free areflexia paperlike
329	Screen Type (Material of screen)	LCD屏	LCD screen
330	Camera features	不涉及	N/A
331	DisplayMate A+	不支持	Unsupported
332	HDR Vivid	不支持	Unsupported
333	HDR10 + Certified	不支持	Unsupported
334	Low blue light certification	德国TÜV莱茵低蓝光认证	TÜV Rheinland Low Blue Light content
335	Eye care test	不支持	Unsupported
336	Eye care certification	不支持	Unsupported
337	energy efficiency class	不涉及	N/A
338	QI CERTIFIED	不支持	Unsupported
339	Battery test	不支持	Unsupported
340	Fast charging certification	不支持	Unsupported
341	Integrated fast charging	不支持	Unsupported
342	Endurance test	不支持	Unsupported
343	Endurance certification	不支持	Unsupported
344	SAR value	CE: Body SAR:1.344W/kg	CE: Body SAR:1.344W/kg
345	Wi-Fi CERTIFIED	不涉及	N/A
346	Reliability certification	不涉及	N/A
347	Thermal certification	不涉及	N/A
348	Network signal certification	不涉及	N/A
349	New certification	莱茵无频闪认证 莱茵无反射认证 莱茵SUCA类纸认证	yes
350	Safety certification	不支持	Unsupported
351	Touch certification	不支持	Unsupported
352	Smooth certification	不支持	Unsupported
353	Game certification	不支持	Unsupported

354	Important tips	<p>为了使平板正面视觉更简洁，我们对屏幕上方感光孔做了隐藏工艺。彩色，深色等透光性不良的贴膜有可能会挡住感光孔，影响平板正常使用。官方保护壳及贴膜设计参考图：点击下载 (点击链接下载保护壳&贴膜设计图)</p>	<p>In order to make the front view of the tablet more concise, we have hidden the light-sensing hole at the top of the screen.</p> <p>Films with poor light transmittance such as colored and dark colors may block the photosensitive hole and affect the normal use of the tablet.</p> <p>Official protective case and film design reference pictures: Click to download (Click on the link to download protective case & film design drawings)</p>
-----	----------------	--	---